City of Weslaco

"The City on the Grow"



David Suarez, Mayor
Olga M. Noriega, Mayor Pro-Tem, District 3
David R. Fox, Commissioner, District 1
Greg Kerr, Commissioner, District 2
Gerardo "Jerry" Tafolla, Commissioner, District 4
Lupe V. Rivera, Commissioner, District 5
Fidel L. Pena, III, Commissioner, District 6

Mike R. Perez, City Manager

CITY OF WESLACO

Invitation to Bid

The City of Weslaco hereby requests sealed bids for the following:

Two (2) 2015 Harley Davidson Motorcycles (FLHTP) – RFB No.: 2014-15-21

Sealed bids addressed to Homer Rhodes, will be accepted at the Weslaco City Hall Purchasing Office, 255 S. Kansas Avenue, Weslaco, Texas 78596, until <u>3:00 p.m.</u> on <u>April 8, 2015</u>, at which time they will be opened and read aloud. Please mark envelope, "Sealed Bid"

Two (2) 2015 Harley Davidson Motorcycles (FLHTP) - RFB No.: 2014-15-21

Potential Bidders/Respondents are advised that the bidding documents can be downloaded from the City of Weslaco web page address: www.weslacotx.gov, and may also be secured at the Weslaco City Hall Purchasing Office, 255 S. Kansas Avenue, Weslaco, Texas 78596, or by calling 956.447-2240. Be advised that if your company is contemplating on bidding this project you must contact the Purchasing Office, so that any changes/additions via addendum form can be forwarded to your company. (Please include your company name, address, e-mail, telephone and fax, and contact person). No electronic bids will be accepted.

The City of Weslaco reserves the right to accept or reject any or all bids, to waive any informalities, and to accept the bid to be the best and most advantageous to the City and to hold bids for a period of forty-five (45) days without taking action, for the purpose of reviewing the bids and investigation of bidders' qualifications prior to bid award. Bids submitted past the aforementioned date and time will not be accepted.

City of Weslaco

Homer Rhodes

Purchasing Office

hrhodes@weslacotx.gov



VENDOR'S NOTICE OF INTENT TO SUBMIT A BID

If you intend to submit a bid for **Two (2) 2015 Harley Davidson Motorcycles (FLHTP)** with the City of Weslaco as outlined in the specifications, please indicate your intention by signing, dating, and returning this form to the address below prior to **April 8, 2015** so that you may receive any addendums to the specifications should the need arise.

Homer Rhodes City of Weslaco Purchasing Office 255 S. Kansas Avenue Weslaco, Texas 78596 Phone: 956.447.2240

Fax: 956.969.8452 hrhodes@weslacotx.gov

Name:(print / contact person)	_Signature:
Title:	_Company/Agency:
Mailing Address:	_City/State/Zip:
Phone:	_Fax:
Email Address:	

Bid No.: 2014-15-21

The Weslaco Police Department is seeking bids for the purchase of two (2) police motorcycles for general police use.

The Weslaco Police Department is currently in possession of equipment (rear box, lighting, siren etc.) removed from 2008 and 2009 Harley Davidson FLHTP to be placed on the two 2015 Harley Davidson FLHTP's. This evaluation has indicated the Harley Davison FLHTP "Electra Glide Police" as the preferred make and model with the intended usage as a police traffic/general use motorcycle. The successful bidder will provide the exact make & model police motorcycle as specified in this document. Furthermore the specifications listed are not all-inclusive and should not be construed as final. For specifications on this make & model, please refer to the website: www.harley-davidson.com for specific equipment and requirements as listed therein.

1. QUANTITY: Two (2) 2015 Harley-Davidson

FLHTP (Ducted Fairing with Windshield) Electra Glide Solo Law Enforcement Motorcycles

SCOPE OF SPECIFICATIONS

These specifications describe the mechanical and comfort requirements for the FLHTP solo law enforcement motorcycles which will be used by the Weslaco Police Department.

SPECIFICATIONS

All proposed FLHTP motorcycles to be in full compliance as follows:

A. Engine

Piston displacement of not less than 1690cc OHV Twin Cam 103

High Output Vibration Isolated V-Twin, air cooled, equipped with OE standard oil cooler, two cylinders with overhead valves and featuring EITMS (Engine Idle Temperature Management System), producing minimal vibration frequencies and magnitudes. Engine and transmission isolated from motorcycle frame utilizing a rubber mounting system. Powertrain deluxe chrome group designed for low maintenance; black powder coat finish or engine; chrome rocker boxes, timer cover, outer primary housing & transmission covers. Compression ratio: 9.7:1 Electronic Sequential Port Fuel Injection System (ESPFI) Chain Drive Twin Cams
a Grain Brive (Will Gairls
☐ Hydraulic Lifters requiring no maintenance service adjustments
B. Clutch / Transmission
☐ Clutch shall be of the latest multiple nine (9) plate design, wet.
☐ Hydraulically Actuated Clutch system
☐ Transmission to be of latest design, manual type, with not less than six (6) forward speeds.
☐ Clutch disengage for starter motor operation
☐ Primary Drive, double-row chain, 34/46 ratio.
☐ Greaseless shifter shaft with "anti-vibration" rubber spacers.

	2 nd - 6.650 3 rd - 4.938 4 th - 4.000 5 th - 3.407 6 th - 2.875
	C. Brakes
	☐ Reflex™ Linked Braking with ABS, linking disengages below 25 mph
	☐ Hydraulic Disc brakes for both front and rear wheels
	☐ Front brakes having dual 11.81-inch diameter floating discs
	□ Rear brake having a single disc.
	☐ Brakes shall be relatively free of heat fade
	□ Calipers-4 Piston
İ	☐ Uniform Expanding Rear Rotor
1	D. Suspension Motorcycles shall be provided with a suspension system to permit optimum handling conditions as required in aw enforcement. ☐ 49 mm telescopic front forks.
	□ Rear air-adjustable shocks.
	☐ Rear suspension swing arm bearings shall require no lubrication for life of the motorcycle.
E	E. Wheels / Tires
	☐ Black Impeller™ Cast Aluminum wheels, rim material to be impermeable to compressed air.
r	☐ Tubeless type tires to have non-skid tread, designed to operate on paved highways and shal have a ull, four-ply fabric reinforcement.
	☐ Bead-retention tires designed to remain on wheel during sudden loss of pressure.
0	☐ Sealed automotive style wheel bearings requiring no endplay adjustment and service interva f 100,000 miles (160,000 km).
	. Fuel Tank
F	☐ Fuel tank to have a capacity of six (6) U.S. gallons (or 22.71 liters). Must provide a minimum

□ Electric fuel pump.
G. Electrical System Electrical system shall be nominal 12-volt as follows:
☐ Battery. Sealed, heavy-duty maintenance-free, 12-volt, minimum rated capacity – 28 ampere
hours (Battery Council International rating), 270 cold cranking amps. ☐ Ignition. Non-waste spark, alpha control.
☐ Charging System. Three-phase, 50-amp high output alternator, solid state regulator.
☐ Connectors. Industrial grade throughout, provided with electrical accessory connection.
☐ Hand Controls. Water-resistant, integrated switches.
☐ Starting System. 12-volt starter, solenoid operated engagement, relay required.
☐ Horn. Sound level audible above motorcycle and traffic-generated noise.
H. Lighting
Each motorcycle shall be provided with the following lighting equipment: ☐ Daymaker™ LED Headlight
☐ Front Emergency Lamps PAR-36, one red and one blue (incandescent).
☐ Tail light.
☐ Turn Signals, self-canceling system.
☐ Flashers, four-way, with independent switch
☐ License plate lighting with two blue marker lamps.
☐ Front (Amber) and Rear (Red) LED Fender Tip Lights
I. Visual Displays
☐ Speedometer. Analog & Digital speedometer, range 0-120mph (or kph equivalent),
☐ (2) re-settable trip meters.
☐ Speed Capture with Digital Speed Display
☐ Gear Indicator
☐ Odometer. Calibrated, cumulative.
☐ Tachometer. Analog.
☐ Fuel level gauge.
☐ Emergency Light Activation Indicators, separate indicators for front and rear emergency lights.
☐ Stealth Mode indicator-if activated
☐ Cruise Control indicator
□ Sight glass on brake master cylinders.

☐ Fuel Mileage countdown till empty displayed in odometer window when Low fuel indicator lamp is lit.
□ Turn Signal Indicators
☐ Hazard-Warning Lights Indicator
☐ Neutral Indicator
☐ High beam Indicator
☐ Low Oil pressure Indicator
□ Voltmeter
☐ Engine diagnostic light
☐ ABS indicator lamp
☐ Security Lamp (if equipped with optional security system)
J. Feature Requirements
\square Seat. Deluxe solo saddle, special police type, breathable material covering, adjustable coil
over spring suspension system.
☐ Cruise Control-OE standard
☐ Stealth Mode-optional activation
☐ Push to Talk Switch-requires other police radio equipment not supplied by H-D
☐ Power ON for emergency equipment for 30 minutes with ignition OFF
☐ Analog and Digital Speed Display with Speed Capture feature
☐ Gear Indicator
☐ Side Stand. Jiffy stand with electronic disengage to prevent drive off with jiffy stand deployed.
☐ Foot Boards. pivoting type with non-skid rubber pads.
☐ Guards. Front engine guard bar and rear saddlebag guard bars. *Horizontal Saddlebag Rails- Optional*
☐ Saddlebags. Factory installed, law enforcement type Injection Molded GTX saddlebags, approximately 2000 cubic inches of storage space per bag, water-resistant, utilizing one touch operation latches.
☐ Final belt drive, with a rubber isolated 68 tooth rear drive sprocket.
☐ Chrome, two into one into two exhaust system
☐ Windshield. Constructed of clear polycarbonate, designed to break away with minimal force.
☐ Mirrors. Two (2) long stem true image mirrors.
☐ Key. One key fits all locks.
□ Wheelbase. 64 inches (1625 mm).
☐ Laden Seat Height. 27.3 inches (695 mm)
☐ Gross Vehicle Weight Rating. 1360 lbs. (617 kg.)

☐ Dry Weight. 791 lbs. (359 kg.)
☐ Running Order. 826 lbs. (375 kg.)
$\hfill \square$ Service Intervals. $1_{st}1000$ miles and then every 5000 miles thereafter.
☐ Warranty. 24 months, unlimited mileage.

CITY OF WESLACO

Two (2) 2015 Harley Davidson Motorcycles (FLHTP) – RFB No.: 2014-15-21

BID FORM

The (bidder), having read the specifications, proposes to furnish the below noted quantity of Two (2) 2015 Harley Davidson Motorcycles (FLHTP), for the full and firm price of within delivery time designated below, in full compliance with the specifications.								
	Complete Units: F.O.B. Weslaco Police Department, 901 N. Airport Drive, Weslaco, Texas 78596							
Respectfully submitted	this day of	, 2015.						
The undersigned affirms that they are duly authorized to execute this contract, that this company, corporation, firm, partnership or individual has not prepared this bid in collusion with any other bidder, and that the contents of this bid as to prices, terms or conditions of said bid have not been communicated by the undersigned nor by any employee or agent to any other person engaged in this type of business prior to the official opening of this bid.								
Description Quantity	Model	Unit Price	Total Price					
Two (2) 2015 Harley Da	widson Motorcycles (FLH	ГР)						
2								
		Grand Total: \$						
The state of the s	Total Bid Amount in wo	ords (Dollars & Cents)						
Delivery Date:		_						
Company:								
Address:		City/State/Zip:						
Phone Number:		Fax Number:						
Authorized Signature:		Title:						